L	Hits	Search Text	DB	Time stamp
Number				•
-	6	<pre>@ad<20001114 and (monitor\$3 or detect\$3 or recogniz\$3) with (BPDU or (Bridge adj</pre>	USPAT; US-PGPUB;	2004/04/12 17:00
1		Protocol adj Data adj Unit)) and (MAC adj	EPO; JPO;	
_	11	address) and (destination adj address) @ad<20001114 and (monitor\$3 or detect\$3	DERWENT USPAT;	2004/04/12
1	1 1	or recogniz\$3) with (BPDU or (Bridge adj	US-PGPUB;	17:18
		Protocol adj Data adj Unit)) and (MAC adj	EPO; JPO;	
		address)	DERWENT	
-	4	<pre>@ad<20001114 and (monitor\$3 or detect\$3 or recogniz\$3) same (BPDU or (Bridge adj</pre>	USPAT; US-PGPUB;	2004/04/12 17:20
1		Protocol adj Data adj Unit)) and compar\$3	EPO; JPO;	17:20
		with (MAC adj address)	DERWENT	
-	0	<pre>@ad<20001114 and (monitor\$3 or detect\$3</pre>	USPAT;	2004/04/12
		or recogniz\$3) adj (destination adj	US-PGPUB;	17:20
		address) and (BPDU or (Bridge adj Protocol adj Data adj Unit)) and compar\$3	EPO; JPO; DERWENT	
		with (MAC adj address)		
-	11	<pre>@ad<20001114 and (monitor\$3 or detect\$3</pre>	USPAT;	2004/04/12
		or recogniz\$3) with (destination adj address) and (BPDU or (Bridge adj	US-PGPUB; EPO; JPO;	17:23
		address; and (BPDU or (Bridge adj Protocol adj Data adj Unit)) and compar\$3	DERWENT	
		with (MAC adj address)		
-	14	@ad<20001114 and (monitor\$3 or detect\$3	USPAT;	2004/04/12
		or recogniz\$3) same (BPDU or (Bridge adj Protocol adj Data adj Unit)) and compar\$3	US-PGPUB; EPO; JPO;	19:01
		same (MAC adj address)	DERWENT	
-	0	<pre>@ad<20001114 and prevent\$3 with (bridge</pre>	USPAT;	2004/04/12
		adj loop) and compar\$3 same (MAC adj	US-PGPUB;	19:00
		address)	EPO; JPO; DERWENT	
-	17	@ad<20001114 and (monitor\$3 or detect\$3	USPAT;	2004/04/12
		or recogniz\$3) same (RIP or BPDU or	US-PGPUB;	19:10
1		(Bridge adj Protocol adj Data adj Unit))	EPO; JPO;	
		and (stor\$3 and compar\$3) same (MAC adj address)	DERWENT	
-	47	@ad<20001114 and (monitor\$3 or detect\$3	USPAT;	2004/04/12
1		or recogniz\$3) same (port or path or RIP	US-PGPUB;	19:11
		or BPDU or (Bridge adj Protocol adj Data adj Unit)) and (stor\$3 and compar\$3) same	EPO; JPO; DERWENT	
1		(MAC adj address) and (disabl\$3 same	DEVABIAT	
		port)		
-	25	@ad<20001114 and (monitor\$3 or detect\$3	USPAT;	2004/04/12
		or recogniz\$3) same (port or path or RIP or BPDU or (Bridge adj Protocol adj Data	US-PGPUB; EPO; JPO;	19:14
		adj Unit)) and (stor\$3 and compar\$3) same	DERWENT	
		(MAC adj address) and (disabl\$3 same		
		port) and match\$3 same (destination adj		
_	25	address) @ad<20001114 and (monitor\$3 or detect\$3	USPAT;	2004/04/12
		or recogniz\$3) with (port or path or RIP	US-PGPUB;	19:14
		or BPDU or (Bridge adj Protocol adj Data	EPO; JPO;	
		<pre>adj Unit)) and (stor\$3 and compar\$3) same (MAC adj address) and (disabl\$3 same</pre>	DERWENT	
		port) and match\$3 same (destination adj		
		address)		i
-	22	@ad<20001114 and (monitor\$3 or detect\$3	USPAT;	2004/04/12
		or recogniz\$3) with (port or path or RIP or BPDU or (Bridge adj Protocol adj Data	US-PGPUB; EPO; JPO;	19:14
		adj Unit)) and (stor\$3 and compar\$3) same	DERWENT	
		(MAC adj address) and (disabl\$3 same		
		port) and match\$3 with (destination adj		ļ
_	20	address) @ad<20001114 and (monitor\$3 or detect\$3	USPAT;	2004/04/12
		or recogniz\$3) with (port or path or RIP	US-PGPUB;	19:14
		or BPDU or (Bridge adj Protocol adj Data	EPO; JPO;	
]		<pre>adj Unit)) and (stor\$3 and compar\$3) same (MAC adj address) and (disabl\$3 with</pre>	DERWENT	
]		port) and match\$3 with (destination adj		
		address)		

Search History 4/15/04 12:55:16 PM Page 1

_	8	@ad<20001114 and (monitor\$3 or detect\$3 or recogniz\$3) with (port or path or RIP or BPDU or (Bridge adj Protocol adj Data adj Unit)) and (stor\$3 and compar\$3) with (MAC adj address) and (disabl\$3 with port) and match\$3 with (destination adj	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/12 19:26
-	0	address) @ad<20001114 and (monitor\$3 or detect\$3 or recogniz\$3) with (port or path or RIP or BPDU or (Bridge adj Protocol adj Data adj Unit)) and (stor\$3 and compar\$3) with (MAC adj address) and (disabl\$3 with port) same match\$3 with (destination adj address) and (prevent\$3 or avoid\$3) same loop	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/12 19:27
_	0	@ad<20001114 and (stor\$3 and compar\$3) with (MAC adj address) and (disabl\$3 with port) same match\$3 with (destination adj address) and (prevent\$3 or avoid\$3) same loop	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/12 19:27
_	2	@ad<20001114 and (disabl\$3 with port) same match\$3 with (destination adj address) and (prevent\$3 or avoid\$3) same loop	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/12 19:29
_	2	@ad<20001114 and (disabl\$3 same port) same match\$3 same (destination adj address) and (prevent\$3 or avoid\$3) same loop same bridge	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/12 19:29
_	53	<pre>@ad<20001114 and (disabl\$3 same port) and (prevent\$3 or avoid\$3) same loop same bridge</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/12 19:30
-	42	@ad<20001114 and (disabl\$3 with port) and (prevent\$3 or avoid\$3) same loop same bridge	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/12 19:30
-	18	<pre>@ad<20001114 and (disabl\$3 with port) and (prevent\$3 or avoid\$3 or detect\$3 or monitor\$3) same loop same bridge same port and (compar\$3 or match\$3) same ((MAC or destination) adj address)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/12 19:32
_	17	@ad<20001114 and (disabl\$3 with port) and (prevent\$3 or avoid\$3 or detect\$3 or monitor\$3) same loop same bridge same port and (compar\$3 or match\$3) with((MAC or destination) adj address)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/12 19:40
_	0	<pre>@ad<20001114 and (disabl\$3 with port) and (prevent\$3 or avoid\$3 or detect\$3 or monitor\$3) same loop same bridge and (compar\$3 or match\$3) with ((MAC or destination) adj address) and intra-hub</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/12 19:40
-	0	@ad<20001114 and (disabl\$3 with port) and (prevent\$3 or avoid\$3 or detect\$3 or monitor\$3) same loop same bridge and (compar\$3 or match\$3 or monitor\$3) with ((MAC or destination) adj address) and (predetermin\$3 or predefin\$3) near address	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/12
-	11	@ad<20001114 and (disabl\$3 with port) and (prevent\$3 or avoid\$3 or detect\$3 or monitor\$3) same loop same bridge and (compar\$3 or match\$3 or monitor\$3) with ((MAC or destination) adj address) and (predetermin\$3 or predefin\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/12 19:43
-	10	@ad<20001114 and (disabl\$3 near port) and (prevent\$3 or avoid\$3 or detect\$3 or monitor\$3) same loop same bridge and (compar\$3 or match\$3 or monitor\$3) with ((MAC or destination) adj address)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/12 19:45

-	11	<pre>@ad<20001114 and (disabl\$3 near port) and (prevent\$3 or avoid\$3 or detect\$3 or</pre>	USPAT; US-PGPUB;	2004/04/12 19:48
		monitor\$3) same loop same bridge and (compar\$3 or match\$3 or monitor\$3) same	EPO; JPO; DERWENT	
_	11	((MAC or destination) adj address) @ad<20001114 and (disabl\$3 near port) and	USPAT;	2004/04/12
		(prevent\$3 or avoid\$3 or detect\$3 or monitor\$3) same (bridge same loop) and	US-PGPUB; EPO; JPO;	19:49
		(compar\$3 or match\$3 or monitor\$3) same ((MAC or destination) adj address)	DERWENT	
_	20	<pre>@ad<20001114 and (disabl\$3 with port) and (prevent\$3 or avoid\$3 or detect\$3 or</pre>	USPAT; US-PGPUB;	2004/04/13 14:12
		monitor\$3) same (bridge same loop) and (compar\$3 or match\$3 or monitor\$3) same	EPO; JPO; DERWENT	
_	22	((MAC or destination) adj address) @ad<20001114 and (disabl\$3 with port) and	USPAT;	2004/04/14
		(prevent\$3 or avoid\$3 or detect\$3 or monitor\$3 or eliminat\$3) same (bridge	US-PGPUB; EPO; JPO;	11:51
		same loop) and (compar\$3 or match\$3 or monitor\$3) same ((MAC or destination or	DERWENT	
	62	source) adj address)	USPAT;	2004/04/14
-	62	@ad<20001114 and ((disabl\$3 or block\$3) with port) and (prevent\$3 or avoid\$3 or	US-PGPUB;	12:27
		detect\$3 or monitor\$3 or eliminat\$3 or listen\$4) same (bridge same loop) and	EPO; JPO; DERWENT	
		(compar\$3 or match\$3 or monitor\$3 or stor\$3 or updat\$3) same ((MAC or		
-	52	destination or source) adj address) @ad<20001114 and ((disabl\$3 or block\$3)	USPAT;	2004/04/14
		with port) and (prevent\$3 or avoid\$3 or detect\$3 or monitor\$3 or eliminat\$3 or	US-PGPUB; EPO; JPO;	11:59
		listen\$4) same (bridge same loop) and (compar\$3 or match\$3 or monitor\$3 or	DERWENT	
		stor\$3 or updat\$3) with ((MAC or destination or source) adj address)		
-	19	<pre>@ad<20001114 and ((disabl\$3 or block\$3) with port) same (prevent\$3 or avoid\$3 or</pre>	USPAT; US-PGPUB;	2004/04/14 12:06
		detect\$3 or monitor\$3 or eliminat\$3 or listen\$4) same (bridge same loop) and	EPO; JPO; DERWENT	
		(compar\$3 or match\$3 or stor\$3 or updat\$3) with ((MAC or destination or		
_	7	source) adj address) @ad<20001114 and ((disabl\$3 or block\$3)	USPAT;	2004/04/14
		with port) same (prevent\$3 or avoid\$3 or detect\$3 or monitor\$3 or eliminat\$3 or	US-PGPUB; EPO; JPO;	12:16
		listen\$4) same (bridge same loop) and (compar\$3 or match\$3 or stor\$3 or	DERWENT	
		updat\$3) with ((MAC or destination or source) adj address) and (learn\$3 with		
_	24	bridge) same (spanning adj tree) @ad<20001114 and ((disabl\$3 or block\$3)	USPAT;	2004/04/14
		with port) and (prevent\$3 or avoid\$3 or detect\$3 or monitor\$3 or eliminat\$3 or	US-PGPUB; EPO; JPO;	12:18
		listen\$4) same (bridge same loop) and (compar\$3 or match\$3 or stor\$3 or	DERWENT	
		updat\$3) with ((MAC or destination) adj address) and (learn\$3 with bridge) and		
_	4	<pre>(spanning adj tree) @ad<20001114 and ((disabl\$3 or block\$3)</pre>	USPAT;	2004/04/14
		with port) and (prevent\$3 or avoid\$3 or detect\$3 or monitor\$3 or eliminat\$3 or	US-PGPUB; EPO; JPO;	12:22
		listen\$4) same (bridge same loop) and (compar\$3 or match\$3 or stor\$3 or	DERWENT	
		updat\$3) with ((MAC and destination) adj address) and (learn\$3 with bridge) and		
		(spanning adj tree)		

_	24	<pre>@ad<20001114 and ((disabl\$3 or block\$3) with port) and (prevent\$3 or avoid\$3 or detect\$3 or monitor\$3 or eliminat\$3 or listen\$4) same (bridge same loop) and (compar\$3 or match\$3 or stor\$3 or updat\$3) with ((MAC or destination) adj</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/14
-	14	detect\$3 or monitor\$3 or eliminat\$3 or listen\$4) same (bridge same loop) and (compar\$3 or match\$3 or stor\$3 or updat\$3) with ((MAC or destination) adjaddress) and (learn\$3 with bridge) and	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/14 12:25
_	32	(spanning adj tree) same ((disabl\$3 or block\$3) with port) @ad<20001114 and ((disabl\$3 or block\$3) with port) and (prevent\$3 or avoid\$3 or detect\$3 or monitor\$3 or eliminat\$3 or listen\$4) same (bridge same loop) and ((compar\$3 or match\$3 or monitor\$3) and	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/14 12:29
-	15	(stor\$3 or updat\$3)) with ((MAC or destination or source) adj address) @ad<20001114 and (spanning adj tree) same ((disabl\$3 or block\$3) with port) and (prevent\$3 or avoid\$3 or detect\$3 or monitor\$3 or eliminat\$3 or listen\$4) same	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/14 12:30
-	2	(bridge same loop) and ((compar\$3 or match\$3 or monitor\$3) and (stor\$3 or updat\$3)) with ((MAC or destination or source) adj address) @ad<20001114 and (learn\$3 adj bridge) and (spanning adj tree) same ((disabl\$3 or block\$3) with port) and (prevent\$3 or	USPAT; US-PGPUB; EPO; JPO;	2004/04/14 12:31
-	2	avoid\$3 or detect\$3 or monitor\$3 or eliminat\$3 or listen\$4) same (bridge same loop) and ((compar\$3 or match\$3 or monitor\$3) and (stor\$3 or updat\$3)) with ((MAC or destination) adj address) @ad<20001114 and (learn\$3 adj bridge) and (spanning adj tree) same ((disabl\$3 or block\$3) with port) and (prevent\$3 or	USPAT; US-PGPUB; EPO; JPO;	2004/04/14 12:32
-	11	avoid\$3 or detect\$3 or monitor\$3 or eliminat\$3 or listen\$4) same (bridge same loop) and ((compar\$3 or match\$3 or monitor\$3) and (stor\$3 or updat\$3)) with ((MAC or destination or source) adj address) @ad<20001114 and (learn\$3 adj bridge) and	DERWENT	2004/04/14
		(spanning adj tree) and ((disabl\$3 or block\$3) with port) and (prevent\$3 or avoid\$3 or detect\$3 or monitor\$3 or eliminat\$3 or listen\$4) same (bridge same loop) and ((compar\$3 or match\$3 or monitor\$3) and (stor\$3 or updat\$3)) with ((MAC or destination or source) adj	US-PGPUB; EPO; JPO; DERWENT	12:34
_	3	address) @ad<20001114 and (learn\$3 adj bridge) and (spanning adj tree) and ((disabl\$3 or block\$3) with port) and (prevent\$3 or avoid\$3 or detect\$3 or monitor\$3 or eliminat\$3 or listen\$4) with (loop) and ((compar\$3 or match\$3 or monitor\$3) and (stor\$3 or updat\$3)) with ((MAC or	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/14 12:35
		destination or source) adj address)		

-	34	<pre>@ad<20001114 and (spanning adj tree) and</pre>	USPAT;	2004/04/14
		((disabl\$3 or block\$3) with port) and	US-PGPUB;	12:36
		(prevent\$3 or avoid\$3 or detect\$3 or	EPO; JPO;	9
		monitor\$3 or eliminat\$3 or listen\$4) with	DERWENT	
		(loop) and ((compar\$3 or match\$3 or		
		monitor\$3) and (stor\$3 or updat\$3)) with		
		((MAC or destination or source) adj		
		address)		
_	11	· ·	USPAT;	2004/04/14
		((disabl\$3 or block\$3) with port) same	US-PGPUB;	12:46
		(prevent\$3 or avoid\$3 or detect\$3 or	EPO; JPO;	12.10
		monitor\$3 or eliminat\$3 or listen\$4) with	DERWENT	
		(loop) and ((compar\$3 or match\$3 or	DEKWENI	
		monitor\$3) and (stor\$3 or updat\$3)) with		
		((MAC or destination or source) adj		
		address)		
	2		IICDAM.	2004/04/14
_			USPAT;	2004/04/14
		detect\$3 or monitor\$3 or eliminat\$3 or	US-PGPUB;	12:59
		listen\$4) with (loop) and ((compar\$3 or match\$3 or monitor\$3) and (stor\$3 or	EPO; JPO; DERWENT	
			DERWENT	
		updat\$3)) with ((MAC or destination or source) adj address) same ((disabl\$3 or		
	22	block\$3) with port)		2004/04/14
_	23	@ad<20001114 and ((compar\$3 or match\$3)	USPAT;	2004/04/14
		same (stor\$3 or updat\$3)) with ((MAC or	US-PGPUB;	13:01
		destination or source) adj address) same	EPO; JPO;	
	1	((disabl\$3 or block\$3) with port)	DERWENT	0004/04/14
-	1	@ad<20001114 and ((compar\$3 or match\$3)	USPAT;	2004/04/14
		same (stor\$3 or updat\$3)) with ((MAC or	US-PGPUB;	13:02
		destination or source) adj address) same	EPO; JPO;	
		((disabl\$3 or block\$3) with port) and	DERWENT	
		(spanning adj tree) and (learn\$3 adj		
		bridge)		2224/24/14
_	2	@ad<20001114 and ((compar\$3 or match\$3)	USPAT;	2004/04/14
		same (stor\$3 or updat\$3)) with ((MAC or	US-PGPUB;	13:03
		destination or source) adj address) same	EPO; JPO;	
		((disabl\$3 or block\$3) with port) and	DERWENT	
		(spanning adj tree)	WGD2.	0004/04/14
_	6	@ad<20001114 and ((compar\$3 or match\$3)	USPAT;	2004/04/14
		same (stor\$3 or updat\$3)) with ((MAC or	US-PGPUB;	13:05
		destination or source) adj address) same	EPO; JPO;	
	0	((disabl\$3 or block\$3) near port)	DERWENT	2004/04/14
-		@ad<20001114 and ((compar\$3 or match\$3)	USPAT;	2004/04/14
		same (stor\$3 or updat\$3)) with ((source	US-PGPUB;	13:06
		adj MAC) adj address) same ((disabl\$3 or	EPO; JPO;	
		block\$3) near port)	DERWENT	0004/04/5
-	0	@ad<20001114 and ((compar\$3 or match\$3)	USPAT;	2004/04/14
	1	and (stor\$3 or updat\$3)) with ((source	US-PGPUB;	13:06
		adj MAC) adj address) same ((disabl\$3 or	EPO; JPO;	
l _	_	block\$3) near port)	DERWENT	0004/04/54
-	0	@ad<20001114 and ((compar\$3 or match\$3))	USPAT;	2004/04/14
		with ((source adj MAC) adj address) same	US-PGPUB;	13:06
		((disabl\$3 or block\$3) near port)	EPO; JPO;	
	-	0-1,00001114	DERWENT	
-	6	@ad<20001114 and ((compar\$3 or match\$3)	USPAT;	2004/04/14
		and (stor\$3 or updat\$3)) with ((source	US-PGPUB;	13:06
		adj MAC) adj address) and ((disabl\$3 or	EPO; JPO;	
L	L	block\$3) near port)	DERWENT	